

ORBEA



ORCA AERO M30TEAM 19.

SE TROUVE DANS CES COULEURS:



NOIR MÉTAL (MAT-BRILLANT)



NOIR-ROUGE (MAT)



ROUGE-NOIR (MAT)



BLEU (BRILLANT)



PEARL-ARGENT (MAT)

SPÉCIFICATIONS ET OPTIONS

CADRE	Orbea Orca Aero carbon OMR, monocoque construction, tapered 1-1/8" - 1,5", BB 386mm, powermeter compatible, internal cable routing, EC/DC compatible.
FOURCHE	Orca Aero OMR carbon fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts
PLATEAU DE PEDALIER	Shimano 105 R7000 34x50t
	Shimano 105 R7000 39x53t
	Rotor Aldhu 36x52t
	Rotor 2INpower DM 34x50t
	Rotor 2INpower DM 36x52t
DIRECTION	FSA 1-1/8 - 1-1/2" Integrated Carbon Cup ACB Bearings
CINTRE	FSA Trimax Compact
	Vision Metron 4D Compact
	Vision Metron 5D Compact
POTENCE	Orbea OC-III
MANETTES	Shimano 105 R7000
FREINS	Shimano 105 R7010
PIGNON	Shimano 105 R7000 11-28t 11-Speed
	Shimano 105 R7000 11-30t 11-Speed
	Shimano 105 R7000 11-32 11-Speed (RD GS)
DERAILLEUR ARRIÈRE	Shimano 105 R7000 SS
DERAILLEUR AVANT	Shimano 105 R7000
CHAINE	KMC X11-EL
ROUES	Vision Team 35 Comp Clincher
	Fulcrum Racing 400 Clincher
	Fulcrum Racing Quattro Carbon
	DT Swiss PR1600 Spline 32
	DT Swiss ARC1400 Dicut 48
PNEUS	Vittoria Rubino Foldable 700x25 60TPI G+
	Hutchinson Fusion 5 All Season TLR 700x25
	Hutchinson Fusion 5 All Season TLR 700x28
PEDALE	N/A
TIGE SELLE	Orbea Aero OMR
SELLE	Prologo Dimension T4,0 size143 mm
	Prologo Scratch-2 Tirox size 143 mm Black
	Selle Italia SLR Kit Carbonio Black
RUBAN DE GUIDON	Velo Anti-Slippery/Shock Proof


GÉOMÉTRIE

TAILLE	47	49	51	53	55	57	60
1 - SEAT_TUBE	450	465	490	515	535	555	580
2 - TOP_TUBE	509	521	534	547	559	575	588
3 - HEAD_TUBE	100	108	124	144	163	181	208
4 - CHAIN_STAY	408						
5 - BB_HEIGHT	269.5						
6 - BB_DROP	72	72	72	70	70	70	70
7 - WHEELBASE	970	974	978	980	991	1000	1014
8 - HEAD_ANGLE	71	71.5	72.2	72.8	73	73.2	73.2
9 - SEAT_ANGLE	74.5	74	73.7	73.5	73.5	73.2	73.2
10 - STANDOVER	740	752	773	797	816	834	857
11 - REACH	370	375	380	385	391	398	404
12 - STACK	501	510	528	548	567	585	611
13 - FORK_LENGTH	370						
14 - OFFSET	48MM	48MM	48MM	43MM	43MM	43MM	43MM

ERGONOMIE

TAILLE	BIELLE	POTENCE	CINTRE
47	170	90	400
49	170	100	400
51	170	100	420
53	172.5	110	420
55	172.5	110	420
57	172.5	110	440
60	175	120	440

* La dimension du guidon est centre-centre



FREIN ARRIÈRE

Shimano 105 R7010-RS

--
